



Made in USA



SPECTRO SERIES

Linear LED Lighting
S1



20725 NE. 16 AVE. #A-33
MIAMI, FLORIDA 33179

TEL: (305) 652-2599

FAX: (305) 650-8812

WWW.LUMIRON.COM

EMAIL:SALES@LUMIRON.COM

Benefits and Feature

1. Dimmable, DMX, WiFi, RF Wireless
2. Low Power Consumption
3. Easy Installation and Low Maintenance
4. Custom Lengths and Unique Color Sequencing Available
5. Indoor and Outdoor

Application

The new SPECTRO RGB 36LED S1 Linear LED is a great product to improve the lighting experience for your future Cove and Architectural work, Jewelry Showcases, Museum Lighting, and Marine Lighting. The product contains 36 LED's with multicolor capability that create an exceptional view for the eye. Along with a finger touch dimmable capability.

Specifications

Lengths	3 Inch – 48 Inch	*Custom Lengths Available
Color Temperature	RBG Color Changing	
Wattage	5 Watts	
Lumens	291 lm	
Input Voltage	24 VDC	
View Angle	120 degrees	
LED Spacing	1.0 Inch Center to Center	
LED Type	S1	
IP Rating	Indoor Standard – Outdoor IP67 EPX Series	
Lens	Standard 30 degrees	
Housing	Anodized Clear Aluminum Extrusion	* Custom Colors Available (e.g., Gold, Black..)
Mounting	Wall Snap Mounting Standard/Swivel Mounting Brackets	
Leads	2 Foot 18G 2 Cond	*Custom Wire lengths Available

Order Codes


SERIES	LENGTH	COLOR TEMP	#LED / F	VOLTAGE	IP LISTING	LENS	MOUNTING
SPECTRO 75	6" – 10'	RGB	36L S1 5W/FT	24VDC	IN Indoor EPX Outdoor	30°	WS wall snap SV swivel VR velcro MG magnet Custom Mounting

Order Example


SERIES	LENGTH	COLOR TEMP	#LED / F	VOLTAGE	IP LISTING	LENS	MOUNTING
SPECTRO 75	4'6"	RGB	24L T3	24 VDC	IN Indoor	30°	WS swivel


Modeling

Isometric View




Top View






Side View Extrusion



Application Brackets

Fixed Application Bracket



Swivel Application Bracket

